

Declaration of performance

No.

OSTYLEVA\1230x1480\02000ET21\1\001

1. Ident. code of product type **OSTYLEVA\1230x1480\02000ET21\1**
2. Identification number *In accordance with the number of the seal located on the window*
4791811001
3. Intended use **Window dedicated for use in residential and public buildings**
4. Producer / Importer **Sokolka Okna i Drzwi Produkcja S.A.**
ul. Lotników Lewoniewskich 1
16-100 Sokółka
5. Representative -
6. System of assessment and verification of the performance **3**
7. Harmonized norm **EN 14351-1:2006+A1:2010**
Instytut Techniki Budowlanej (ITB) Warszawa (NB1488) - preliminary survey was conducted type (ITT) in system 3, in terms of point(s) 9.1-9.8 and classification report was prepared
8. Body of technical assessment -
9. Declared performances:

Properties	Performances	Harmonized technical specifications	
9.1. Wind resistance	Class C4	4.2	EN 14351-1:2006+A1:2010
9.2. Water tightness	Class 9A	4.5	EN 14351-1:2006+A1:2010
9.3. Dangerous substances	NPD*	4.6	EN 14351-1:2006+A1:2010
9.4. Load bearing capacity of safety devices	pass	4.8	EN 14351-1:2006+A1:2010
9.5. Operating forces	1	4.16	EN 14351-1:2006+A1:2010
9.6. Acoustic	NPD*	4.11	EN 14351-1:2006+A1:2010
9.7. U value	1,30	4.12	EN 14351-1:2006+A1:2010
9.8. Solar radiation properties: - Solar energy transmittance factor - Light transmittance factor	0,63 0,80	4.13	EN 14351-1:2006+A1:2010
9.9. Air permability	Class 4	4.14	EN 14351-1:2006+A1:2010

* no performance determined

10. Performance of the product referred to in points 1 and 2 are consistent with the declared in point 9.

This declaration of performance is issued under the responsibility of the producer referred to in point 4.

On behalf of the producer / importer:



Christian Petersen

Board President
Managing Director



Sokolka, 16.09.2021

02000ET21

Poz. 001

Szt. 001



**Sokolka Okna i Drzwi
Produkcja S.A.**
ul. Lotników Lewoniewskich 1
16-100 Sokółka

21

OSTYLEVA\1230x1480\02000ET21\1



4791811001

EN 14351-1:2006+A1:2010

*Window dedicated
for use in residential
and public buildings*

Wind resistance **Class C4**

Water tightness **Class 9A**

Dangerous substances **NPD***

Load bearing capacity of safety devices **pass**

Operating forces **1**

Acoustic **NPD***

U value **1,30**

Solar energy transmittance factor **0,63**

Light transmittance factor **0,80**

Air permability **Class 4**

* no performance determined

Declaration of performance

No.

OTHERMA\1230x1480\02000ET21\5\001

1. Ident. code of product type **OTHERMA\1230x1480\02000ET21\5**
2. Identification number *In accordance with the number of the seal located on the window*
4791851001
3. Intended use **Window dedicated for use in residential and public buildings**
4. Producer / Importer **Sokółka Okna i Drzwi Produkcja S.A.**
ul. Lotników Lewoniewskich 1
16-100 Sokółka
5. Representative -
6. System of assessment and verification of the performance **3**
7. Harmonized norm **EN 14351-1:2006+A1:2010**
Instytut Techniki Budowlanej (ITB) Warszawa (NB1488) - preliminary survey was conducted type (ITT) in system 3, in terms of point(s) 9.1-9.8 and classification report was prepared
8. Body of technical assessment -
9. Declared performances:

Properties	Performances	Harmonized technical specifications	
9.1. Wind resistance	Class C4	4.2	EN 14351-1:2006+A1:2010
9.2. Water tightness	Class 9A	4.5	EN 14351-1:2006+A1:2010
9.3. Dangerous substances	NPD*	4.6	EN 14351-1:2006+A1:2010
9.4. Load bearing capacity of safety devices	pass	4.8	EN 14351-1:2006+A1:2010
9.5. Operating forces	1	4.16	EN 14351-1:2006+A1:2010
9.6. Acoustic	NPD*	4.11	EN 14351-1:2006+A1:2010
9.7. U value	1,24	4.12	EN 14351-1:2006+A1:2010
9.8. Solar radiation properties: - Solar energy transmittance factor - Light transmittance factor	0,63 0,80	4.13	EN 14351-1:2006+A1:2010
9.9. Air permability	Class 4	4.14	EN 14351-1:2006+A1:2010

* no performance determined

10. Performance of the product referred to in points 1 and 2 are consistent with the declared in point 9.

This declaration of performance is issued under the responsibility of the producer referred to in point 4.

On behalf of the producer / importer:



Christian Petersen

Board President
Managing Director



Sokółka, 16.09.2021

02000ET21

Poz. 005

Szt. 001



**Sokółka Okna i Drzwi
Produkcja S.A.**
ul. Lotników Lewoniewskich 1
16-100 Sokółka

21

OTHERMA\1230x1480\02000ET21\
5



4791851001

EN 14351-1:2006+A1:2010

*Window dedicated
for use in residential
and public buildings*

Wind resistance **Class C4**

Water tightness **Class 9A**

Dangerous substances **NPD***

Load bearing capacity of safety devices **pass**

Operating forces **1**

Acoustic **NPD***

U value **1,24**

Solar energy transmittance factor **0,63**

Light transmittance factor **0,80**

Air permability **Class 4**

* no performance determined

Declaration of performance

No.

OTHERMA\1230x1480\02000ET21\6\001

1. Ident. code of product type **OTHERMA\1230x1480\02000ET21\6**
2. Identification number *In accordance with the number of the seal located on the window*
4791861001
3. Intended use **Window dedicated for use in residential and public buildings**
4. Producer / Importer **Sokółka Okna i Drzwi Produkcja S.A.**
ul. Lotników Lewoniewskich 1
16-100 Sokółka
5. Representative -
6. System of assessment and verification of the performance **3**
7. Harmonized norm **EN 14351-1:2006+A1:2010**
Instytut Techniki Budowlanej (ITB) Warszawa (NB1488) - preliminary survey was conducted type (ITT) in system 3, in terms of point(s) 9.1-9.8 and classification report was prepared

8. Body of technical assessment -
9. Declared performances:

Properties	Performances	Harmonized technical specifications	
9.1. Wind resistance	Class C4	4.2	EN 14351-1:2006+A1:2010
9.2. Water tightness	Class 9A	4.5	EN 14351-1:2006+A1:2010
9.3. Dangerous substances	NPD*	4.6	EN 14351-1:2006+A1:2010
9.4. Load bearing capacity of safety devices	pass	4.8	EN 14351-1:2006+A1:2010
9.5. Operating forces	1	4.16	EN 14351-1:2006+A1:2010
9.6. Acoustic	NPD*	4.11	EN 14351-1:2006+A1:2010
9.7. U value	0,90	4.12	EN 14351-1:2006+A1:2010
9.8. Solar radiation properties: - Solar energy transmittance factor - Light transmittance factor	0,50 0,71	4.13	EN 14351-1:2006+A1:2010
9.9. Air permability	Class 4	4.14	EN 14351-1:2006+A1:2010

* no performance determined

10. Performance of the product referred to in points 1 and 2 are consistent with the declared in point 9.

This declaration of performance is issued under the responsibility of the producer referred to in point 4.

On behalf of the producer / importer:



Christian Petersen

Board President
Managing Director



Sokółka, 16.09.2021

02000ET21

Poz. 006

Szt. 001



**Sokółka Okna i Drzwi
Produkcja S.A.**
ul. Lotników Lewoniewskich 1
16-100 Sokółka

21

OTHERMA\1230x1480\02000ET21\
6



4791861001

EN 14351-1:2006+A1:2010

*Window dedicated
for use in residential
and public buildings*

Wind resistance **Class C4**

Water tightness **Class 9A**

Dangerous substances **NPD***

Load bearing capacity of safety devices **pass**

Operating forces **1**

Acoustic **NPD***

U value **0,90**

Solar energy transmittance factor **0,50**

Light transmittance factor **0,71**

Air permability **Class 4**

* no performance determined

Declaration of performance

No.

OELITE\A\1230x1480\02000ET21\9\001

1. Ident. code of product type **OELITE\A\1230x1480\02000ET21\9**
2. Identification number *In accordance with the number of the seal located on the window*
4791891001
3. Intended use **Window dedicated for use in residential and public buildings**
4. Producer / Importer **Sokółka Okna i Drzwi Produkcja S.A.**
ul. Lotników Lewoniewskich 1
16-100 Sokółka
5. Representative -
6. System of assessment and verification of the performance **3**
7. Harmonized norm **EN 14351-1:2006+A1:2010**
Instytut Techniki Budowlanej (ITB) Warszawa (NB1488) - preliminary survey was conducted type (ITT) in system 3, in terms of point(s) 9.1-9.8 and classification report was prepared
8. Body of technical assessment -
9. Declared performances:

Properties	Performances	Harmonized technical specifications	
9.1. Wind resistance	Class C4	4.2	EN 14351-1:2006+A1:2010
9.2. Water tightness	Class 9A	4.5	EN 14351-1:2006+A1:2010
9.3. Dangerous substances	NPD*	4.6	EN 14351-1:2006+A1:2010
9.4. Load bearing capacity of safety devices	pass	4.8	EN 14351-1:2006+A1:2010
9.5. Operating forces	1	4.16	EN 14351-1:2006+A1:2010
9.6. Acoustic	NPD*	4.11	EN 14351-1:2006+A1:2010
9.7. U value	0,80	4.12	EN 14351-1:2006+A1:2010
9.8. Solar radiation properties: - Solar energy transmittance factor - Light transmittance factor	0,50 0,71	4.13	EN 14351-1:2006+A1:2010
9.9. Air permability	Class 4	4.14	EN 14351-1:2006+A1:2010

* no performance determined

10. Performance of the product referred to in points 1 and 2 are consistent with the declared in point 9.

This declaration of performance is issued under the responsibility of the producer referred to in point 4.

On behalf of the producer / importer:



Christian Petersen

Board President
Managing Director



Sokółka, 16.09.2021

02000ET21

Poz. 009

Szt. 001



**Sokółka Okna i Drzwi
Produkcja S.A.**
ul. Lotników Lewoniewskich 1
16-100 Sokółka

21

OELITE\A\1230x1480\02000ET21\9



4791891001

EN 14351-1:2006+A1:2010

*Window dedicated
for use in residential
and public buildings*

Wind resistance **Class C4**

Water tightness **Class 9A**

Dangerous substances **NPD***

Load bearing capacity of safety devices **pass**

Operating forces **1**

Acoustic **NPD***

U value **0,80**

Solar energy transmittance factor **0,50**

Light transmittance factor **0,71**

Air permability **Class 4**

* no performance determined